

Histone H3 (Acetyl Lys27) rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (Da):
A15681	Rabbit	1 mg/ml	15273

Applications	WB
Reactivity	Human,Mouse,Rat
Dilution	WB: 1:200-500
Storage	-20°C/1 year
Specificity	The antibody detects endogenous Histone H3 (Acetyl Lys27) protein.
Source / Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using specific immunogen.
Immunogen	Synthetic Peptide of Histone H3 (Acetyl Lys27)
Uniprot No	P68431/Q71DI3/P84243
Alternative names	HIST1H3A; H3FA; HIST1H3B; H3FL; HIST1H3C; H3FC; HIST1H3D; H3FB; HIST1H3E; H3FD; HIST1H3F; H3FI; HIST1H3G; H3FH; HIST1H3H; H3FK; HIST1H3I; H3FF; HIST1H3J; H3FJ; Histone H3.1; Histone H3/a; Histone H3/b; Histone H3/c; Histone H3/d; Histone H3/f; Histone H3/h; Histone H3/i; Histone H3/j; Histone H3/k; Histone H3/l; HIST2H3A; HIST2H3C; H3F2; H3FM; HIST2H3D; Histone H3.2; Histone H3/m; Histone H3/o; H3F3A; H3.3A; H3F3; PP781; H3F3B; H3.3B; Histone H3.3;H3k27AC
Form	PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.
Clonality	Polyclonal
Isotype	IgG
Conjugation	
Background	histone cluster 1 H3 family member a(HIST1H3A) Homo sapiens Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq, Aug 2015],

Other

HIST1H3A/HIST1H3B/HIST1H3C/HIST1H3D/HIST1H3E/HIST1H3F/HIST1H3G/HIST1H3H/HIST1H3I/HIST1H3J/HIST1H3K/HIST1H3L/HIST1H3M/HIST1H3N/HIST1H3O/HIST1H3P/HIST1H3Q/HIST1H3R/HIST1H3S/HIST1H3T/HIST1H3U/HIST1H3V/HIST1H3W/HIST1H3X/HIST1H3Y/HIST1H3Z/HIST2H3A/HIST2H3B/HIST2H3C/HIST2H3D/HIST2H3E/HIST2H3F/HIST2H3G/HIST2H3H/HIST2H3I/HIST2H3J/HIST2H3K/HIST2H3L/HIST2H3M/HIST2H3N/HIST2H3O/HIST2H3P/HIST2H3Q/HIST2H3R/HIST2H3S/HIST2H3T/HIST2H3U/HIST2H3V/HIST2H3W/HIST2H3X/HIST2H3Y/HIST2H3Z/H3F1/H3F2/H3F3A/H3F3B, Histone H3.1/Histone H3.2/Histone H3.3

Product Images:**Application Key:**

WB-Western IP-Immunoprecipitation IHC-Immunohistochemistry CHIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.cn, contact information will be displayed.
